


TSSC-B05 25mm-70mm



Features:

Operating Limits:

Pressure: $\leq 2.5\text{MPa}$

Shanghai Trisun Parts Manufacture Co.,Ltd.

Head office in Shanghai:

Room 05-06, 16th Floor, Hongjia Building, No.388 Fushan Rd. (Near Xiangcheng Rd.), Pudong, Shanghai, China.

Post Code: 200122

Tel: +86-21-58355541,+86-21-58353145,+86-21-58353343

Fax: +86-21-58353141

E-mail: trisunseal@yahoo.com.cn



Speed: ≤16m/s

Temperature: -40℃~220℃

- 1.Rotary Ring (SiC/TC)
- 2.Stationary Ring (SiC/TC/Carbon)
- 3.Secondary Seal (VITON/AFLAS/Kalrez)
4. Other Parts (C-276/Duplex/316)

d ₁ (mm)	d ₂	d ₃		l ₁₅	l ₁₆	l ₁₇	a1	da	s
		min	max						
25.0	43.0	44.0	51.5	79.5	53.4	26.1	62.0	105.0	13.2
28.0	46.0	47.0	52	79.5	53.4	26.1	62.0	105.0	13.2
30.0	48.0	49.0	56	79.5	53.4	26.1	65.0	105.0	13.2
32.0	49.8	51.0	57	79.5	53.4	26.1	67.0	108.0	13.2
33.0	49.8	51.0	57	79.5	53.4	26.1	67.0	108.0	13.2
35.0	53.0	54.0	61.5	79.5	53.4	26.1	70.0	113.0	13.2
38.0	56.0	57.0	66	79.5	53.4	26.1	75.0	123.0	13.2
40.0	58.0	59.0	68	79.5	53.4	26.1	75.0	123.0	14.2
42.0	60.5	61.5	69.5	79.5	53.4	26.1	80.0	133.0	14.2
43.0	60.5	61.5	70.5	79.5	53.4	26.1	80.0	133.0	14.2
45.0	62.5	64.0	73	79.5	53.4	26.1	81.0	138.0	14.2
48.0	65.6	67.0	75	79.5	53.4	26.1	84.0	138.0	14.2
50.0	68.0	69.0	78	79.5	53.4	26.1	87.0	148.0	14.2
53.0	72.0	73.0	87	79.5	53.4	26.1	97.0	148.0	18.0
55.0	73.0	74.0	83	79.5	53.4	26.1	90.0	148.0	18.0
60.0	78.0	79.0	91	79.5	53.4	26.1	102.0	157.0	18.0
65.0	84.8	85.7	98.5	79.5	53.4	26.1	109.0	163.0	18.0
70.0	93.0	95.0	108	79.5	53.4	26.1	118.0	178.0	18.0

Shanghai Trisun Parts Manufacture Co.,Ltd.

Head office in Shanghai:

Room 05-06, 16th Floor, Hongjia Building, No.388 Fushan Rd. (Near Xiangcheng Rd.), Pudong, Shanghai, China.

Post Code: 200122

Tel: +86-21-58355541,+86-21-58353145,+86-21-58353343

Fax: +86-21-58353141

E-mail: trisunseal@yahoo.com.cn



Shanghai Trisun Parts Manufacture Co.,Ltd.

Head office in Shanghai:

Room 05-06, 16th Floor, Hongjia Building, No.388 Fushan Rd. (Near Xiangcheng Rd.), Pudong, Shanghai, China.

Post Code: 200122

Tel: +86-21-58355541,+86-21-58353145,+86-21-58353343

Fax: +86-21-58353141

E-mail: trisunseal@yahoo.com.cn