


TSSC-A04 24mm-70mm



Features:

Operating Limits:

Pressure: $\leq 2.3\text{MPa}$

Shanghai Trisun Parts Manufacture Co.,Ltd.

Head office in Shanghai:

Room 05-06, 16th Floor, Hongjia Building, No.388 Fushan Rd. (Near Xiangcheng Rd.), Pudong, Shanghai, China.

Post Code: 200122

Tel: +86-21-58355541,+86-21-58353145,+86-21-58353343

Fax: +86-21-58353141

E-mail: trisunseal@yahoo.com.cn



Speed: ≤23m/s

Temperature: -30℃~200℃

- 1.Rotary Ring (Carbon/SiC/TC)
- 2.Stationary Ring (SiC/TC)
- 3.Secondary Seal (VITON/AFLAS/Kalrez)
4. Other Parts (C-276/DUPLEX/316)

d ₁ (inches)	d ₄		d ₆	d ₂₆	l ₁	l ₂	l ₃	h max
	min	max						
24	40.0	46.0	52.4	101.6	26.8	34.4	12.5	14.3
25	41.0	49.2	55.6	104.8	26.8	34.4	12.5	14.3
28	44.0	52.4	58.7	108.0	26.8	34.4	12.5	14.3
30	46.0	55.6	61.9	111.0	26.8	34.4	12.5	14.3
32	48.0	55.6	61.9	111.0	26.8	34.4	12.5	14.3
33	49.0	55.6	61.9	111.0	26.8	34.4	12.5	14.3
35	50.8	58.7	66.7	111.0	26.8	34.4	12.5	14.3
38	57.2	63.5	73	127.0	27.7	35.4	16.4	14.3
40	57.2	63.5	73	127.0	27.7	35.4	16.4	14.3
43	60.3	63.5	73	127.0	27.7	35.4	16.4	14.3
45	63.5	66.7	76.2	133.4	27.7	35.4	16.4	14.3
48	66.7	76.2	84.1	139.7	27.7	35.4	16.4	14.3
50	66.7	76.2	84.1	139.7	27.7	35.4	16.4	14.3
53	69.9	76.2	84.1	139.7	29.2	35.9	16.4	14.3
55	73.0	84.1	93.7	146.0	29.2	35.9	16.4	17.5
58	76.2	84.1	93.7	146.0	29.2	35.9	16.4	17.5
60	79.4	90.5	100	152.4	29.2	35.9	16.4	17.5
63	85.7	93.7	106.4	158.8	30.5	35.9	16.4	17.5

Shanghai Trisun Parts Manufacture Co.,Ltd.

Head office in Shanghai:

Room 05-06, 16th Floor, Hongjia Building, No.388 Fushan Rd. (Near Xiangcheng Rd.), Pudong, Shanghai, China.

Post Code: 200122

Tel: +86-21-58355541,+86-21-58353145,+86-21-58353343

Fax: +86-21-58353141

E-mail: trisunseal@yahoo.com.cn

65	88.9	95.3	106.4	158.8	30.5	35.9	16.4	17.5
70	92.1	98.4	106.4	158.8	30.5	35.9	16.4	17.5

Shanghai Trisun Parts Manufacture Co.,Ltd.

Head office in Shanghai:

Room 05-06, 16th Floor, Hongjia Building, No.388 Fushan Rd. (Near Xiangcheng Rd.), Pudong, Shanghai, China.

Post Code: 200122

Tel: +86-21-58355541,+86-21-58353145,+86-21-58353343

Fax: +86-21-58353141

E-mail: trisunseal@yahoo.com.cn