


TSMB-B06 25mm-80mm Metal Körüklü Salmastra



Çalışma Sınırları

Shanghai Trisun Parts Manufacture Co.,Ltd.

Şangay Merkez Ofis:

Room 05-06, 16th Floor, Hongjia Building, No.388 Fushan Rd. (Near Xiangcheng Rd.), Pudong, Shanghai, China.

Posta Kodu: 200122

Tel: +86-21-58355541,+86-21-58353145,+86-21-58353343

Fax: +86-21-58353141

E-mail: trisun24@trisunltd.com

Basınç: ≤ 2 MPa

Hız: ≤ 25 m/s

Isı: $-40^{\circ}\text{C} \sim +220^{\circ}\text{C}$

Devir Halkası (SiC/Karbon/TC)

Sabit Halka (SiC/TC)

İkincil Salmastra (VITON/Kapsüllü Halka/PTFE)

Metal Körük (SUS316L/AM350/Inconel718/Titanyum/Hastelloy-C/Alaşım-20)

Diğer Parçalar (SUS304/SUS316/Titanyum/Hastelloy-C)

d ₃		l ₁	l ₂	l ₃	l ₄	d _a	l	s
min	max							
47.0	51.0	79.5	26.1	53.4	25.4	105.0	62.0	13.2
52.0	56.0	78.4	25.0	53.4	25.4	105.0	67.0	13.2
54.5	57.0	78.4	25.0	53.4	25.4	108.0	70.0	13.2
54.5	57.0	78.4	25.0	53.4	25.4	108.0	70.0	13.2
58.0	61.5	78.4	25.0	53.4	25.4	113.0	72.0	13.2
60.0	66.0	78.4	25.0	53.4	25.4	123.0	75.0	14.0
62.0	68.0	78.2	24.8	53.4	25.4	123.0	77.0	14.2
64.5	70.5	78.4	25.0	53.4	25.4	133.0	80.0	14.2
68.5	73.0	78.4	25.0	53.4	25.4	138.0	82.0	14.2
71.0	75.0	78.7	25.3	53.4	25.4	138.0	85.0	14.2
73.0	78.0	79.1	25.7	53.4	25.4	148.0	87.0	14.2
75.0	87.0	77.8	24.4	53.4	25.4	148.0	97.0	18.0
77.0	83.0	78.9	25.5	53.4	25.4	148.0	92.0	18.0
87.0	91.0	80.1	26.7	53.4	25.4	157.0	102.0	18.0
90.0	98.5	80.0	26.6	53.4	25.4	163.0	109.3	18.0
98.0	108.0	81.5	28.1	53.4	25.4	178.0	118.3	18.0
101.6	118.0	94.4	30.5	63.9	28.0	190.0	129.0	18.0
108.0	124.0	94.4	30.4	64.0	28.0	195.0	135.0	18.0

Shanghai Trisun Parts Manufacture Co.,Ltd.

Şangay Merkez Ofis:

Room 05-06, 16th Floor, Hongjia Building, No.388 Fushan Rd. (Near Xiangcheng Rd.), Pudong, Shanghai, China.

Posta Kodu: 200122

Tel: +86-21-58355541,+86-21-58353145,+86-21-58353343

Fax: +86-21-58353141

E-mail: trisun24@trisunltd.com