



**Özellikleri:**

Çalışma Sınırları:

Basınç:  $\leq 2\text{MPa}$

---

**Shanghai Trisun Parts Manufacture Co.,Ltd.**

**Şangay Merkez Ofis:**

Room 05-06, 16th Floor, Hongjia Building, No.388 Fushan Rd. (Near Xiangcheng Rd.), Pudong, Shanghai, China.

**Posta Kodu:** 200122

**Tel:** +86-21-58355541,+86-21-58353145,+86-21-58353343

**Fax:** +86-21-58353141

**E-mail:** [trisun24@trisunltd.com](mailto:trisun24@trisunltd.com)

Hız: ≤20m/s

Isı: -30°C~+204°C

- 1.Devir Halkası (SiC/Karbon/TC)
2. Sabit Halka (SiC/TC)
- 3.İkincil Salmastra (VITON/Kapsüllü Halka/PTFE)
4. Metal Körük (SUS316L/AM350/Inconel718/Titanyum/Hastelloy-C/Alaşım-20)
5. Diğer Parçalar (SUS304/SUS316/Titanyum/Hastelloy-C)

d1(mm)	l <sub>3</sub>	l <sub>1k</sub>	l <sub>4</sub>	d <sub>7</sub>	d <sub>3</sub>	d <sub>4</sub>
24	29.9	40.0	10.1	39	38	40
25	29.9	40.0	10.1	40	39	41
28	32.4	42.5	10.1	43	42	44
30	32.4	42.5	10.1	45	44	46
32	32.4	42.5	10.1	48	46	48
33	32.4	42.5	10.1	48	47	49
35	32.4	42.5	10.1	50	49	51
38	33.9	45.0	11.1	56	54	58
40	33.9	45.0	11.1	58	56	60
43	33.9	45.0	11.1	61	59	63
45	33.9	45.0	11.1	63	61	65
48	33.9	45.0	11.1	66	64	68
50	34.4	47.5	13.1	70	66	70
53	34.4	47.5	13.1	73	69	73
55	34.4	47.5	13.1	75	71	75
58	38.9	52.5	13.6	78	78	83
60	38.9	52.5	13.6	80	80	85
63	38.9	52.5	13.6	83	83	88
65	38.9	52.5	13.6	85	85	90
68	37.4	52.5	15.1	90	88	93
70	44.9	60.0	15.1	92	90	95
75	44.9	60.0	15.1	97	99	104
80	44.2	60.0	15.8	105	104	109
85	44.2	60.0	15.8	110	109	114
90	49.2	65.0	15.8	115	114	119
95	49.2	65.0	15.8	120	119	124
100	49.2	65.0	15.8	125	124	129

**Shanghai Trisun Parts Manufacture Co.,Ltd.**

**Şangay Merkez Ofis:**

Room 05-06, 16th Floor, Hongjia Building, No.388 Fushan Rd. (Near Xiangcheng Rd.), Pudong, Shanghai, China.

**Posta Kodu:** 200122

**Tel:** +86-21-58355541,+86-21-58353145,+86-21-58353343

**Fax:** +86-21-58353141

**E-mail:** [trisun24@trisunltd.com](mailto:trisun24@trisunltd.com)