


## TS M74D 18mm-100mm



**Features:**

**Operating Limits:**

Pressure:  $\leq 1.6\text{MPa}$

Speed:  $\leq 10\text{m/s}$

Temperature:  $-20^{\circ}\text{C}\sim+180^{\circ}\text{C}$

---

**Shanghai Trisun Parts Manufacture Co.,Ltd.**

**Head office in Shanghai:**

Room 05-06, 16th Floor, Hongjia Building, No.388 Fushan Rd. (Near Xiangcheng Rd.), Pudong, Shanghai, China.

**Post Code:** 200122

**Tel:** +86-21-58355541,+86-21-58353145,+86-21-58353343

**Fax:** +86-21-58353141

**E-mail:** [trisunseal@yahoo.com.cn](mailto:trisunseal@yahoo.com.cn)



- 1.Rotary Ring (SiC/TC )
- 2.Stationary Ring (CARBON/SiC/TC )
3. Secondary Seal (NBR/VITON/EPDM)
- 4.Other Parts (SUS304/SUS316)

Seal size d(mm)	d <sub>3</sub>	d <sub>6</sub>	d <sub>7</sub>	d <sub>8</sub>	l <sub>1</sub>	l <sub>3</sub>	l <sub>8</sub>	l <sub>9</sub>	Mx
18	33	27	33	3	61.0	38	19.5	11.5	M5
20	35	29	35	3	61.0	38	19.5	11.5	M5
22	37	31	37	3	61.0	38	19.5	11.5	M5
24	39	33	39	3	61.0	38	19.5	11.5	M5
25	40	34	40	3	61.0	38	19.5	11.5	M5
28	43	37	43	3	62.0	39	19.5	11.5	M6
30	45	39	45	3	62.0	39	19.5	11.5	M6
32	47	42	48	3	62.0	39	19.5	11.5	M6
33	48	42	48	3	62.0	39	19.5	11.5	M6
35	50	44	50	3	62.0	39	19.5	11.5	M6
38	55	49	56	4	69.0	41	22.0	14.0	M6
40	57	51	58	4	70.0	42	22.0	14.0	M6
43	60	54	61	4	70.0	42	22.0	14.0	M6
45	62	56	63	4	70.0	42	22.0	14.0	M6
48	65	59	66	4	70.0	42	22.0	14.0	M6
50	67	62	70	4	73.0	43	23.0	15.0	M6
53	70	65	73	4	73.0	43	23.0	15.0	M6
55	72	67	75	4	73.0	43	23.0	15.0	M8
58	79	70	78	4	86.0	56	23.0	15.0	M8

**Shanghai Trisun Parts Manufacture Co.,Ltd.**

**Head office in Shanghai:**

Room 05-06, 16th Floor, Hongjia Building, No.388 Fushan Rd. (Near Xiangcheng Rd.), Pudong, Shanghai, China.

**Post Code:** 200122

**Tel:** +86-21-58355541,+86-21-58353145,+86-21-58353343

**Fax:** +86-21-58353141

**E-mail:** [trisunseal@yahoo.com.cn](mailto:trisunseal@yahoo.com.cn)

60	81	72	80	4	86.0	56	23.0	15.0	M8
63	84	75	83	4	85.0	55	23.0	15.0	M8
65	86	77	85	4	85.0	55	23.0	15.0	M8
68	89	81	90	4	91.0	55	26.0	18.0	M8
70	91	83	92	4	92.0	56	26.0	18.0	M8
75	99	88	97	4	92.0	56	26.0	18.0	M8
80	104	95	105	4	92.5	56	26.2	18.2	M8
85	109	100	110	4	92.5	56	26.2	18.2	M8
90	114	105	115	4	92.5	56	26.2	18.2	M8
95	119	110	120	4	90.5	56	25.2	17.2	M8
100	124	115	125	4	90.5	56	25.2	17.2	M8

---

**Shanghai Trisun Parts Manufacture Co.,Ltd.**

**Head office in Shanghai:**

Room 05-06, 16th Floor, Hongjia Building, No.388 Fushan Rd. (Near Xiangcheng Rd.), Pudong, Shanghai, China.

**Post Code:** 200122

**Tel:** +86-21-58355541,+86-21-58353145,+86-21-58353343

**Fax:** +86-21-58353141

**E-mail:** [trisunseal@yahoo.com.cn](mailto:trisunseal@yahoo.com.cn)