


TSMB-J08 24mm-75mm Metal Bellows Seal



Rotary Ring (SiC/TC)
 Stationary Ring (SiC/Carbon/TC)

Shanghai Trisun Parts Manufacture Co.,Ltd.
Head office in Shanghai:
 Room 05-06, 16th Floor, Hongjia Building, No.388 Fushan Rd. (Near Xiangcheng Rd.), Pudong, Shanghai, China.
Post Code: 200122
Tel: +86-21-58355541,+86-21-58353145,+86-21-58353343
Fax: +86-21-58353141
E-mail: trisunseal@yahoo.com.cn



Secondary Seal (VITON/Encapsulated Ring/PTFE)

Metal Bellows (SUS316L/AM350/Inconel718/Titanium/Hastelloy-C/Alloy-20)

Other Parts (SUS304/SUS316/Titanium/Hastelloy-C)

Operating Limits:

Pressure: ≤2.1MPa

Speed: ≤25m/s

Temperature: -30℃~+205℃

d ₁ (inches)	d ₃	d ₄		l ₂₆	l ₁₂	l ₂₃	l ₃₉	l ₅₆	l ₉₀	l ₉₁	l ₉₂	m	n
		min	max										
24	39.7	41.3	48.0	101.6	65.4	34.4	49.6	13.5	50.8	18.9	15.8	13.3	71.2
25	39.7	41.3	48.0	101.6	65.4	34.4	49.6	13.5	50.8	18.9	15.8	13.3	71.2
28	42.9	44.5	51.2	104.8	67.3	36.7	52.4	13.5	54.0	18.1	15.0	13.3	74.5
30	44.5	46.1	56.5	108.0	65.1	36.7	52.4	13.5	54.0	15.9	12.7	13.3	79.9
32	46.0	47.6	58.3	108.0	69.3	36.7	52.4	13.5	54.0	20.1	16.9	13.3	81.6
33	49.3	50.8	61.5	111.1	69.3	36.7	52.4	13.5	54.0	20.1	16.9	13.3	84.8
35	49.3	50.8	61.5	111.1	69.3	36.7	52.4	13.5	54.0	20.1	16.9	13.3	84.8
38	55.5	57.2	68.1	123.8	69.7	37.8	54.0	15.1	55.5	18.9	15.7	13.3	91.4
40	58.7	60.3	71.4	127.0	69.7	37.8	54.0	15.1	55.5	18.9	15.7	14.3	95.7
43	61.1	63.0	74.1	133.4	69.7	37.8	54.0	15.1	55.5	18.9	15.7	14.3	98.4
45	61.1	63.0	74.1	133.4	69.7	37.8	54.0	15.1	55.5	18.9	15.7	14.3	98.4
48	65.1	66.7	74.1	133.4	69.7	37.8	54.0	15.1	55.5	18.9	15.7	14.3	98.4
50	68.3	70.0	76.6	139.7	75.3	40.7	58.7	27.0	60.3	19.7	16.5	14.3	101.6
53	71.4	73.0	85.3	148.8	75.3	40.7	58.7	15.1	60.3	19.7	16.5	17.4	113.5

Shanghai Trisun Parts Manufacture Co.,Ltd.

Head office in Shanghai:

Room 05-06, 16th Floor, Hongjia Building, No.388 Fushan Rd. (Near Xiangcheng Rd.), Pudong, Shanghai, China.

Post Code: 200122

Tel: +86-21-58355541,+86-21-58353145,+86-21-58353343

Fax: +86-21-58353141

E-mail: trisunseal@yahoo.com.cn

55	72.9	75.0	85.3	148. 8	75. 3	40. 7	58. 7	15. 1	60. 3	19. 7	16. 5	17. 4	113. 5
58	74.6	76.2	88.5	165. 1	75. 3	40. 7	58. 7	15. 1	60. 3	19. 7	16. 5	17. 4	116. 0
60	77.8	79.4	91.7	165. 1	77. 8	43. 6	62. 6	15. 9	64. 2	18. 3	15. 2	17. 4	119. 9
63	84.1	85.7	98.8	171. 5	75. 7	43. 6	65. 1	15. 9	66. 7	13. 8	10. 6	17. 4	127. 0
65	84.1	85.7	98.8	171. 5	75. 7	43. 6	65. 1	15. 9	66. 7	13. 8	10. 6	17. 4	127. 0
68	90.5	92.1	103. 2	171. 5	78. 4	41. 3	63. 5	15. 9	65. 1	18. 1	14. 9	17. 4	131. 3
70	90.5	92.1	103. 2	171. 5	78. 4	41. 3	63. 5	15. 9	65. 1	18. 1	14. 9	17. 4	131. 3
75	100. 0	101. 6	113. 5	196. 9	78. 4	45. 4	65. 1	17. 4	66. 7	16. 5	13. 4	20. 6	145. 3

Shanghai Trisun Parts Manufacture Co.,Ltd.

Head office in Shanghai:

Room 05-06, 16th Floor, Hongjia Building, No.388 Fushan Rd. (Near Xiangcheng Rd.), Pudong, Shanghai, China.

Post Code: 200122

Tel: +86-21-58355541,+86-21-58353145,+86-21-58353343

Fax: +86-21-58353141

E-mail: trisunseal@yahoo.com.cn