


TSMB-B07 (TS 700) 25mm-100mm Metal Bellows Seal



Operating Limits

Pressure: $\leq 2\text{MPa}$

Speed: $\leq 25\text{m/s}$

Temperature: $-30^{\circ}\text{C} \sim +200^{\circ}\text{C}$

Rotary Ring (SiC/TC)

Stationary Ring (Carbon/SiC/TC)

Secondary Seal (VITON/Encapsulated Ring)

Metal Bellows (SUS316L/AM350/Inconel718/Titanium)

Shanghai Trisun Parts Manufacture Co.,Ltd.

Head office in Shanghai:

Room 05-06, 16th Floor, Hongjia Building, No.388 Fushan Rd. (Near Xiangcheng Rd.), Pudong, Shanghai, China.

Post Code: 200122

Tel: +86-21-58355541,+86-21-58353145,+86-21-58353343

Fax: +86-21-58353141

E-mail: trisunseal@yahoo.com.cn

Other Parts (300 Series Stainless Steel)

Seal Size d (mm)	d ₁	d ₂	d ₃		d _a	l ₁	l ₂	l ₃	l ₄	S	G (Inches)	d ₅
			min	max								
25	25	43.0	44.0	51.0	10 5	6 7	42. 4	24. 6	25. 4	1 4	1/4"	62
28	28	46.0	47.0	52.0	10 5	6 7	42. 4	24. 6	25. 4	1 4	1/4"	62
30	30	48.0	49.0	56.0	10 5	6 7	42. 4	24. 6	25. 4	1 4	1/4"	65
32	32	49.8	51.0	57.0	11 0	6 7	42. 4	24. 6	25. 4	1 4	1/4"	67
33	33	49.8	51.0	57.0	11 0	6 7	42. 4	24. 6	25. 4	1 4	1/4"	67
35	35	53.0	54.0	61.5	11 3	6 7	42. 4	24. 6	25. 4	1 4	1/4"	71
38	38	56.0	57.0	66.0	12 3	6 7	42. 4	24. 6	25. 4	1 4	1/4"	76
40	40	58.0	59.0	68.0	12 3	6 7	42. 4	24. 6	25. 4	1 6	3/8"	76
42	42	60.5	61.5	69.5	13 3	6 7	42. 4	24. 6	25. 4	1 6	3/8"	80
43	43	60.5	61.5	70.5	13 3	6 7	42. 4	24. 6	25. 4	1 6	3/8"	80
45	45	62.5	64.0	73.0	13 8	6 7	42. 4	24. 6	25. 4	1 6	3/8"	83
48	48	65.6	67.0	75.0	13 8	6 7	42. 4	24. 6	25. 4	1 6	3/8"	85
50	50	68.0	69.0	78.0	14 8	6 7	42. 4	24. 6	25. 4	1 6	3/8"	88
53	53	72.0	73.0	83.0	14 8	6 7	42. 4	24. 6	25. 4	1 8	3/8"	98
55	55	73.0	74.0	87.0	14 8	6 7	42. 4	24. 6	25. 4	1 8	3/8"	97
60	60	78.0	79.0	91.0	15 7	6 7	42. 4	24. 6	25. 4	1 8	3/8"	10 2
65	65	83.0	84.5	98.5	16 3	6 7	42. 4	24. 6	25. 4	1 8	3/8"	10 9
70	70	93.0	95.0	108.	17	6	42.	24.	25.	1	3/8"	11

Shanghai Trisun Parts Manufacture Co.,Ltd.

Head office in Shanghai:

Room 05-06, 16th Floor, Hongjia Building, No.388 Fushan Rd. (Near Xiangcheng Rd.), Pudong, Shanghai, China.

Post Code: 200122

Tel: +86-21-58355541,+86-21-58353145,+86-21-58353343

Fax: +86-21-58353141

E-mail: trisunseal@yahoo.com.cn

				0	8	7	4	6	4	8		8
75	75	100. 0	101. 6	118. 0	19 0	8 4	57. 4	26. 6	28. 0	1 8	3/8"	12 9
80	80	106. 4	108. 0	124. 0	19 5	8 4	57. 4	26. 6	28. 0	1 8	3/8"	13 5
85	85	109. 5	111. 1	128. 0	19 8	8 4	57. 4	26. 6	28. 0	2 2	3/8"	13 9
90	90	115. 9	117. 5	135. 0	20 5	8 4	57. 4	26. 6	28. 0	2 2	3/8"	14 5
95	95	119. 1	120. 7	138. 0	20 8	8 4	57. 4	26. 6	28. 0	2 2	3/8"	14 8
100	10 0	125. 4	127. 0	144. 0	21 8	8 4	57. 4	26. 6	28. 0	2 2	3/8"	15 4

Shanghai Trisun Parts Manufacture Co.,Ltd.

Head office in Shanghai:

Room 05-06, 16th Floor, Hongjia Building, No.388 Fushan Rd. (Near Xiangcheng Rd.), Pudong, Shanghai, China.

Post Code: 200122

Tel: +86-21-58355541,+86-21-58353145,+86-21-58353343

Fax: +86-21-58353141

E-mail: trisunseal@yahoo.com.cn