


TSMA-A03 1.000-5.000(inches) Agitator Seal



Operating Limits:

Pressure: $\leq 2.1\text{MPa}$

Speed: $\leq 25\text{m/s}$

Temperature: $-30^{\circ}\text{C} \sim +220^{\circ}\text{C}$

d (inches)	d_{26}	l_4	l_5	l_3	d_1			n		m	l_1	l_2	k
					min	min t	max	min	max				max

Shanghai Trisun Parts Manufacture Co.,Ltd.

Head office in Shanghai:

Room 05-06, 16th Floor, Hongjia Building, No.388 Fushan Rd. (Near Xiangcheng Rd.), Pudong, Shanghai, China.

Post Code: 200122

Tel: +86-21-58355541,+86-21-58353145,+86-21-58353343

Fax: +86-21-58353141

E-mail: trisunseal@yahoo.com.cn

										x			
1.000	4.1 25	2.1 25	1.9 37	0.5 19	1.6 25	1.6 65	1.9 37	2.6 87	3.5 62	1 / 2	1.1 25	1.5 90	0.0 40
1.125	4.2 50	2.2 50	2.0 63	0.5 19	1.7 50	1.7 90	2.0 62	2.8 12	3.6 87	1 / 2	1.1 25	1.5 90	0.0 40
1.250	4.3 75	2.3 75	2.1 87	0.5 19	1.8 75	1.9 15	2.1 87	2.9 37	3.8 12	1 / 2	1.1 25	1.5 90	0.0 40
1.375	4.3 75	2.5 00	2.3 12	0.5 19	2.0 00	2.0 40	2.2 50	3.0 62	3.8 12	1 / 2	1.1 25	1.5 90	0.0 40
1.500	5.0 00	2.8 12	2.5 62	0.6 44	2.2 50	2.2 90	2.3 75	3.3 75	4.4 37	1 / 2	1.1 25	1.7 52	0.0 40
1.625	5.0 00	2.8 12	2.5 62	0.6 44	2.3 75	2.4 15	2.5 00	3.3 75	4.4 37	1 / 2	1.1 25	1.7 52	0.0 40
1.750	5.5 00	3.1 87	2.8 12	0.6 44	2.5 00	2.5 40	2.7 50	3.7 50	4.9 37	1 / 2	1.1 25	1.7 52	0.0 40
1.875	5.5 00	3.1 87	2.8 12	0.6 44	2.6 25	2.6 65	2.8 75	3.7 50	4.9 37	1 / 2	1.1 25	1.7 52	0.0 40
2.000	6.0 00	3.5 62	3.0 63	0.6 44	2.7 50	2.7 90	3.0 00	4.1 25	5.4 37	1 / 2	1.1 25	1.7 52	0.0 40
2.000 -AC	5.2 50	3.4 50	3.0 35	0.6 44	2.7 50	2.7 90	3.0 00	4.0 00	4.7 50	1 / 2	1.1 25	1.7 52	0.0 40
2.125	6.0 00	3.5 62	3.0 63	0.6 44	2.8 75	2.9 15	3.1 25	4.1 25	5.4 37	1 / 2	1.1 25	1.7 52	0.0 40
2.250	6.5 00	3.8 12	3.3 12	0.6 44	3.0 00	3.0 40	3.2 50	4.5 00	5.8 12	5 / 8	1.1 25	1.7 52	0.0 40
2.375	6.5 00	3.8 12	3.3 12	0.6 44	3.1 25	3.1 65	3.3 75	4.5 00	5.8 12	5 / 8	1.1 25	1.7 52	0.0 40

Shanghai Trisun Parts Manufacture Co.,Ltd.

Head office in Shanghai:

Room 05-06, 16th Floor, Hongjia Building, No.388 Fushan Rd. (Near Xiangcheng Rd.), Pudong, Shanghai, China.

Post Code: 200122

Tel: +86-21-58355541,+86-21-58353145,+86-21-58353343

Fax: +86-21-58353141

E-mail: trisunseal@yahoo.com.cn

2.500	7.0 00	4.3 12	3.8 12	0.7 69	3.3 75	3.4 35	3.6 25	5.0 00	6.3 12	5 / 8	1.2 50	1.8 77	0.0 60
2.625	7.0 00	4.3 12	3.8 12	0.7 69	3.5 00	3.5 60	3.7 50	5.0 00	6.3 12	5 / 8	1.2 50	1.8 77	0.0 60
2.750	7.0 00	4.3 12	3.8 12	0.7 69	3.6 25	3.6 85	3.8 75	5.0 00	6.3 12	5 / 8	1.2 50	1.8 77	0.0 60
2.875	7.5 00	4.9 37	4.2 50	0.7 69	3.7 50	3.8 10	4.1 25	5.6 25	6.8 12	5 / 8	1.2 50	1.8 77	0.0 60
3.000	7.5 00	4.9 37	4.2 50	0.7 69	3.8 75	3.9 35	4.2 50	5.6 25	6.8 12	5 / 8	1.2 50	1.8 77	0.0 60
3.125	7.5 00	4.9 37	4.2 50	0.7 69	4.0 00	4.0 60	4.3 75	5.6 25	6.8 12	5 / 8	1.2 50	1.8 77	0.0 60
3.250	8.0 00	5.3 12	4.6 25	0.7 69	4.1 25	4.1 85	4.5 00	6.1 25	7.1 87	3 / 4	1.2 50	1.8 77	0.0 60
3.375	8.0 00	5.3 12	4.6 25	0.7 69	4.2 50	4.3 10	4.6 25	6.1 25	7.1 87	3 / 4	1.2 50	1.8 77	0.0 60
3.500	8.0 00	5.3 12	4.6 25	0.7 69	4.3 75	4.4 35	4.7 50	6.1 25	7.1 87	3 / 4	1.2 50	1.8 77	0.0 60
3.625	8.5 00	5.9 37	5.0 00	0.7 69	4.5 00	4.5 60	5.0 00	6.7 50	7.6 87	3 / 4	1.2 50	1.8 77	0.0 60
3.750	8.5 00	5.9 37	5.0 00	0.7 69	4.6 25	4.6 85	5.1 25	6.7 50	7.6 87	3 / 4	1.2 50	1.8 77	0.0 60
3.875	8.5 00	5.9 37	5.0 00	0.7 69	4.7 50	4.8 10	5.2 50	6.7 50	7.6 87	3 / 4	1.2 50	1.8 77	0.0 60
4.000	9.0 00	6.6 25	5.3 75	0.7 69	4.8 75	4.9 35	5.5 00	7.4 37	8.1 87	3 / 4	1.2 50	1.8 77	0.0 60
4.125	9.0	6.6	5.3	0.7	5.1	5.1	5.8	7.4	8.1	3	1.2	1.8	0.0

Shanghai Trisun Parts Manufacture Co.,Ltd.

Head office in Shanghai:

Room 05-06, 16th Floor, Hongjia Building, No.388 Fushan Rd. (Near Xiangcheng Rd.), Pudong, Shanghai, China.

Post Code: 200122

Tel: +86-21-58355541,+86-21-58353145,+86-21-58353343

Fax: +86-21-58353141

E-mail: trisunseal@yahoo.com.cn



	00	25	75	69	25	85	75	37	87	/	50	77	60
										4			
4. 250	9.0	6.6	5.3	0.7	5.1	5.1	5.8	7.4	8.1	3	1.2	1.8	0.0
	00	25	75	69	25	85	75	37	87	/	50	77	60
										4			
4. 375	9.5	7.0	5.7	0.7	5.3	5.4	6.2	7.8	8.6	3	1.2	1.8	0.0
	00	00	50	69	75	35	50	12	87	/	50	77	60
										4			
4. 500	9.5	7.0	5.7	0.7	5.3	5.4	6.2	7.8	8.6	3	1.2	1.8	0.0
	00	00	50	69	75	35	50	12	87	/	50	77	60
										4			
4. 625	10.	7.3	6.1	0.7	5.6	5.6	6.6	8.3	9.0	7	1.2	1.8	0.0
	000	45	25	69	25	85	25	12	62	/	50	77	60
										8			
4. 750	10.	7.3	6.1	0.7	5.6	5.6	6.6	8.3	9.0	7	1.2	1.8	0.0
	000	45	25	69	25	85	25	12	62	/	50	77	60
										8			
4. 875	10.	7.3	6.1	0.7	5.8	5.9	6.6	8.3	9.0	7	1.2	1.8	0.0
	000	45	25	69	75	35	25	12	62	/	50	77	60
										8			
5. 000	10.	7.3	6.1	0.7	5.8	5.9	6.6	8.3	9.0	7	1.2	1.8	0.0
	000	45	25	69	75	35	25	12	62	/	50	77	60
										8			

Shanghai Trisun Parts Manufacture Co.,Ltd.

Head office in Shanghai:

Room 05-06, 16th Floor, Hongjia Building, No.388 Fushan Rd. (Near Xiangcheng Rd.), Pudong, Shanghai, China.

Post Code: 200122

Tel: +86-21-58355541,+86-21-58353145,+86-21-58353343

Fax: +86-21-58353141

E-mail: trisunseal@yahoo.com.cn