


TSDC-FA01/FA02 1.000-4.500 (inches) Cartridge Seal



Operating Limits

Pressure: ≤ 2.1 MPa

Speed: ≤ 25 m/s

Temperature: $-30^{\circ}\text{C} \sim +200^{\circ}\text{C}$

Rotary Ring (SiC//TC)

Stationary Ring (SiC/TC/Carbon)

Secondary Seal (VITON/EPDM/Kalrez)

Shanghai Trisun Parts Manufacture Co.,Ltd.

Head office in Shanghai:

Room 05-06, 16th Floor, Hongjia Building, No.388 Fushan Rd. (Near Xiangcheng Rd.), Pudong, Shanghai, China.

Post Code: 200122

Tel: +86-21-58355541,+86-21-58353145,+86-21-58353343

Fax: +86-21-58353141

E-mail: trisunseal@yahoo.com.cn



Other Parts (SUS304/SUS316)

A (inches)	B	C	D	E	F	G	H	J	K	L
1.000	1.700	1.750	2.230	1.958	0.75 0	1.280	2.00 0	4.00 0	0.437	2.375
1.250	1.700	1.750	2.230	1.958	0.75 0	1.280	2.00 0	4.25 0	0.437	2.463
1.250	1.950	2.000	2.355	1.958	0.75 0	1.280	2.00 0	4.25 0	0.437	2.583
1.375	1.950	2.000	2.480	1.958	0.75 0	1.280	2.00 0	4.25 0	0.437	2.713
1.500	2.200	2.250	2.605	1.958	0.75 0	1.280	2.00 0	4.50 0	0.562	2.950
1.625	2.325	2.375	2.855	1.958	0.75 0	1.280	2.00 0	5.00 0	0.562	3.075
1.750	2.450	2.500	2.990	1.958	0.75 0	1.280	2.00 0	5.50 0	0.562	3.188
1.875	2.575	2.625	3.105	1.958	0.75 0	1.280	2.00 0	5.50 0	0.562	3.313
2.000	2.700	2.750	3.230	1.958	0.75 0	1.280	2.00 0	5.50 0	0.562	3.570
2.125	2.825	2.875	3.490	1.958	0.75 0	1.280	2.00 0	6.00 0	0.687	3.688
2.250	2.950	3.000	3.605	1.958	0.75 0	1.280	2.00 0	6.25 0	0.687	3.813
2.375	3.195	3.250	3.730	2.080	0.75 0	1.312	2.30 3	6.25 0	0.687	3.938
2.500	3.320	3.375	3.855	2.080	0.75 0	1.312	2.03 5	6.50 0	0.687	3.938
2.625	3.560	3.625	4.070	2.053	0.75 0	1.312	2.03 5	6.50 0	0.687	4.188
2.750	3.650	3.750	4.320	2.053	0.75 0	1.312	2.03 5	7.50 0	0.687	4.438
2.875	3.785	3.875	4.450	2.203	0.75 0	1.580	2.30 3	7.50 0	0.687	4.625
3.000	3.900	4.000	4.700	2.200	0.75 0	1.577	2.30 0	8.00 0	0.687	5.062
3.125	4.050	4.125	4.825	2.250	0.75	1.580	2.30	8.00	0.687	5.062

Shanghai Trisun Parts Manufacture Co.,Ltd.

Head office in Shanghai:

Room 05-06, 16th Floor, Hongjia Building, No.388 Fushan Rd. (Near Xiangcheng Rd.), Pudong, Shanghai, China.

Post Code: 200122

Tel: +86-21-58355541,+86-21-58353145,+86-21-58353343

Fax: +86-21-58353141

E-mail: trisunseal@yahoo.com.cn

					0		3	0		
3.250	4.175	4.250	4.950	2.267	0.75 0	1.527	2.25 0	8.25 0	0.687	5.188
3.375	4.300	4.375	5.075	2.250	0.75 0	1.580	2.30 3	8.50 0	0.812	5.312
3.500	4.430	4.500	5.200	2.203	0.75 0	1.580	2.30 3	8.50 0	0.812	5.438
3.625	4.555	4.625	5.325	2.250	0.75 0	1.580	2.30 3	8.50 0	0.812	5.562
3.750	4.680	4.750	5.450	2.203	0.75 0	1.580	2.30 3	8.75 0	0.812	5.687
3.875	4.805	5.125	5.575	2.250	0.75 0	1.580	2.30 3	8.75 0	0.812	5.812
4.500	5.680	5.750	6.450	2.350	0.75 0	1.580	2.30 3	9.50 0	0.812	6.500

Shanghai Trisun Parts Manufacture Co.,Ltd.

Head office in Shanghai:

Room 05-06, 16th Floor, Hongjia Building, No.388 Fushan Rd. (Near Xiangcheng Rd.), Pudong, Shanghai, China.

Post Code: 200122

Tel: +86-21-58355541,+86-21-58353145,+86-21-58353343

Fax: +86-21-58353141

E-mail: trisunseal@yahoo.com.cn