



TSSC-A01 1.000-4.000 (inches) Cartridge Seal



- Rotary Ring (SiC/Carbon/TC)
- Stationary Ring (SiC/TC)
- Secondary Seal (VITON/Encapsulated Ring/PTFE)
- Other Parts (SUS304/SUS316/Titanium/Hastelloy-C)

d	d ₂₆	l ₅	l ₃	l ₄	d ₁	n	m	l ₁	l ₂
---	-----------------	----------------	----------------	----------------	----------------	---	---	----------------	----------------

Shanghai Trisun Parts Manufacture Co.,Ltd.
Head office in Shanghai:
 Room 05-06, 16th Floor, Hongjia Building, No.388 Fushan Rd. (Near Xiangcheng Rd.), Pudong, Shanghai, China.
Post Code: 200122
Tel: +86-21-58355541,+86-21-58353145,+86-21-58353343
Fax: +86-21-58353141
E-mail: trisunseal@yahoo.com.cn

(mm)					min	max	min	max			
24	101.6	55.6	20.7	56.1	40.0	48.0	69.9	88.9	12	28.6	31.8
25	101.6	55.6	20.7	56.1	41.0	48.0	69.9	88.9	12	28.6	31.8
28	104.8	58.8	20.7	59.3	44.0	50.0	73.1	92.1	12	28.6	31.8
30	108.0	61.9	20.7	62.4	46.0	54.0	76.2	95.3	12	28.6	31.8
32	108.0	61.9	20.7	62.4	48.0	54.0	76.2	95.3	12	28.6	31.8
33	108.0	61.9	20.7	62.4	49.0	55.0	76.2	95.3	12	28.6	31.8
35	108.0	66.7	20.7	67.2	51.0	59.0	81.0	95.3	12	28.6	31.8
38	114.3	71.5	22.3	72.0	57.2	62.0	85.8	101.6	12	28.6	33.4
40	114.3	71.5	22.3	72.0	58.0	64.0	85.8	101.6	12	28.6	33.4
43	120.7	74.6	22.3	75.1	61.0	67.0	88.9	108.0	12	28.6	33.4
45	127.0	77.8	23.8	78.3	63.5	69.0	92.1	114.3	12	30.2	35.0
48	133.4	81.0	23.8	81.5	66.7	72.0	95.3	120.7	12	30.2	35.0
50	133.4	81.0	23.8	81.5	68.0	74.0	95.3	120.7	12	30.2	35.0
53	139.7	84.2	25.4	84.7	71.0	77.0	101.6	123.9	16	30.2	36.5
55	146.1	87.3	25.4	87.8	74.0	79.0	104.8	130.2	16	30.2	36.5
58	165.1	95.3	25.4	98.9	79.4	85.7	115.9	146.0	20	30.2	36.5
60	165.1	95.3	25.4	98.9	79.4	85.7	115.9	146.0	20	30.2	36.5
63	177.8	111.2	25.4	121.2	85.8	101.6	131.8	158.7	20	28.6	41.2
65	177.8	111.2	25.4	121.2	88.9	101.6	131.8	158.7	20	28.6	41.2

Shanghai Trisun Parts Manufacture Co.,Ltd.

Head office in Shanghai:

Room 05-06, 16th Floor, Hongjia Building, No.388 Fushan Rd. (Near Xiangcheng Rd.), Pudong, Shanghai, China.

Post Code: 200122

Tel: +86-21-58355541,+86-21-58353145,+86-21-58353343

Fax: +86-21-58353141

E-mail: trisunseal@yahoo.com.cn

68	177. 8	111. 2	25. 4	121. 2	92.1	101. 6	131. 8	158. 7	2 0	28. 6	41. 2
70	177. 8	111. 2	25. 4	121. 2	92.1	101. 6	131. 8	158. 7	2 0	28. 6	41. 2
75	190. 5	125. 4	31. 7	130. 7	98.5	114. 3	146. 1	171. 4	2 0	30. 2	50. 8
80	190. 5	125. 4	31. 7	130. 7	101. 6	114. 3	146. 1	171. 4	2 0	30. 2	50. 8
85	203. 2	135. 0	31. 7	140. 2	108. 0	123. 8	155. 6	184. 1	2 0	30. 2	50. 8
90	215. 9	144. 5	31. 7	149. 7	114. 3	133. 3	165. 1	196. 8	2 0	30. 2	50. 8
95	215. 9	144. 5	31. 7	149. 7	117. 5	133. 3	165. 1	196. 8	2 0	30. 2	50. 8
100	228. 6	154. 0	31. 7	156. 1	123. 9	139. 7	174. 7	209. 5	2 0	30. 2	50. 8

Shanghai Trisun Parts Manufacture Co.,Ltd.

Head office in Shanghai:

Room 05-06, 16th Floor, Hongjia Building, No.388 Fushan Rd. (Near Xiangcheng Rd.), Pudong, Shanghai, China.

Post Code: 200122

Tel: +86-21-58355541,+86-21-58353145,+86-21-58353343

Fax: +86-21-58353141

E-mail: trisunseal@yahoo.com.cn