


TSDC-B02 1.0003mm-4.000mm



Features:

Operating Limits:

Pressure: $\leq 2.5\text{MPa}$

Speed: $\leq 16\text{m/s}$

Temperature: $-40^{\circ}\text{C} \sim 220^{\circ}\text{C}$

1. Rotary Ring (SiC/TC)
2. Stationary Ring (SiC/TC/Carbon)
3. Secondary Seal (VITON/PTFE/Encapsulated/NBR/Kalrez)

Shanghai Trisun Parts Manufacture Co.,Ltd.

Head office in Shanghai:

Room 05-06, 16th Floor, Hongjia Building, No.388 Fushan Rd. (Near Xiangcheng Rd.), Pudong, Shanghai, China.

Post Code: 200122

Tel: +86-21-58355541,+86-21-58353145,+86-21-58353343

Fax: +86-21-58353141

E-mail: trisunseal@yahoo.com.cn

4. Other Parts (C-276/Duplex/316/304)

d (inches)	d ₂	d ₃ min	d ₃ max	l ₄	l ₅	l ₆	l ₇	a ₁	da	s
25	1.693	1.750	2	1.000	3.400	2.102	1.303	2.440	4.134	0.520
28	1.811	1.875	2.05	1.000	3.400	2.102	1.303	2.440	4.134	0.520
30	1.960	2.000	2.25	1.000	3.400	2.102	1.303	2.640	4.330	0.520
32	2.086	2.125	2.42	1.000	3.400	2.102	1.303	2.750	4.449	0.520
33	2.200	2.000	2.625	1.000	3.400	2.102	1.303	2.950	4.842	0.520
35	2.340	2.250	2.7	1.000	3.400	2.102	1.303	3.030	4.842	0.599
38	2.460	2.375	2.812	1.000	3.400	2.102	1.303	3.190	5.433	0.599
40	2.582	2.500	2.94	1.000	3.400	2.102	1.303	3.190	5.433	0.599
42	2.677	2.625	3.19	1.000	3.400	2.102	1.303	3.430	5.827	0.599
43	2.834	2.750	3.437	1.000	3.400	2.102	1.303	3.820	5.827	0.709
45	2.960	2.875	3.56	1.000	3.400	2.102	1.303	3.940	6.181	0.709
48	3.070	3.000	3.59	1.000	3.400	2.102	1.303	4.020	6.181	0.709
50	3.212	3.125	3.8	1.000	3.400	2.102	1.303	4.170	6.417	0.709
53	3.338	3.250	3.937	1.000	3.400	2.102	1.303	4.290	6.417	0.709
55	3.660	3.375	4.25	1.000	3.400	2.102	1.303	4.650	7.008	0.709
60	3.811	3.875	4.567	1.000	4.250	2.516	1.736	4.960	7.283	0.709
65	3.937	4.000	4.646	1.102	4.250	2.516	1.736	5.079	7.480	0.709
70	4.063	4.125	4.764	1.102	4.250	2.516	1.736	5.197	7.677	0.709
75	4.189	4.250	4.882	1.102	4.250	2.516	1.736	5.315	7.677	0.709
80	4.311	4.375	5.039	1.102	4.250	2.516	1.736	5.472	7.795	0.866
85	4.437	4.500	5.157	1.102	4.250	2.516	1.736	5.591	7.795	0.866

Shanghai Trisun Parts Manufacture Co.,Ltd.

Head office in Shanghai:

Room 05-06, 16th Floor, Hongjia Building, No.388 Fushan Rd. (Near Xiangcheng Rd.), Pudong, Shanghai, China.

Post Code: 200122

Tel: +86-21-58355541,+86-21-58353145,+86-21-58353343

Fax: +86-21-58353141

E-mail: trisunseal@yahoo.com.cn



90	4.563	4.625	5.315	1.102	4.250	2.516	1.736	5.709	8.071	0.866
95	4.689	4.750	4.433	1.102	4.250	2.516	1.736	5.827	8.189	0.866
100	4.937	5.000	5.669	1.102	4.250	2.516	1.736	6.063	8.583	0.866

Shanghai Trisun Parts Manufacture Co.,Ltd.

Head office in Shanghai:

Room 05-06, 16th Floor, Hongjia Building, No.388 Fushan Rd. (Near Xiangcheng Rd.), Pudong, Shanghai, China.

Post Code: 200122

Tel: +86-21-58355541,+86-21-58353145,+86-21-58353343

Fax: +86-21-58353141

E-mail: trisunseal@yahoo.com.cn